

# UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/724,808	12/01/2003	Wolfgang Gross	2003P11549US01	3679
75	90 05/31/2006		EXAMINER	
Siemens Corpo	oration		PHAM, TH	IOMAS K
Intellectual Prop	erty Department		<u></u>	···
170 Wood Avenue South			ART UNIT	PAPER NUMBER
Iselin, NJ 088	30		2121	
			DATE MAILED: 05/31/2000	5

Please find below and/or attached an Office communication concerning this application or proceeding.

	A 1! 4! 11 -	Aunlinent(a)			
	Application No.	Application No. Applicant(s)			
	10/724,808	GROSS ET AL.			
Office Action Summary	Examiner	Art Unit			
	Thomas K. Pham	2121			
The MAILING DATE of this communication a Period for Reply	appears on the cover sheet w	vith the correspondence addr	ess		
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by sta Any reply received by the Office later than three months after the ma earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUN 1.136(a). In no event, however, may a lod will apply and will expire SIX (6) MO tute, cause the application to become A	ICATION.  I reply be timely filed  INTHS from the mailing date of this commandation (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 10	) March 2006				
,—	his action is non-final.				
3) Since this application is in condition for allow		tters, prosecution as to the m	nerits is		
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4)⊠ Claim(s) <u>1-5,7-14 and 16-20</u> is/are pending	in the application				
4a) Of the above claim(s) is/are withd					
5) Claim(s) is/are allowed.					
6) Claim(s) <u>1-5, 7-14 and 16-20</u> is/are rejected	1				
7) Claim(s) is/are objected to.	•				
8) Claim(s) are subject to restriction and	d/or election requirement				
on ordinates and ordinates and	aron oloollon roquirolloni.				
Application Papers					
9) The specification is objected to by the Exam	iner.				
10) The drawing(s) filed on is/are: a) a	ccepted or b) objected to	by the Examiner.			
Applicant may not request that any objection to t	he drawing(s) be held in abeya	ance. See 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the corr	ection is required if the drawin	g(s) is objected to. See 37 CFR	1.121(d).		
11) The oath or declaration is objected to by the	Examiner. Note the attached	ed Office Action or form PTO	-152.		
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documed 2. Certified copies of the priority documed 3. Copies of the certified copies of the papplication from the International Burnet * See the attached detailed Office action for a light service.	ents have been received. ents have been received in riority documents have bee eau (PCT Rule 17.2(a)).	Application No n received in this National St	age		
Attachment(s)	_				
1) Notice of References Cited (PTO-892)		Summary (PTO-413) o(s)/Mail Date			
<ul> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/SB/Paper No(s)/Mail Date</li> </ul>		Informal Patent Application (PTO-1	52)		

Art Unit: 2121

# Response to Amendment

1. This is in response to the amendment filed 03/10/2006.

2. Applicant's arguments with respect to claims 1-5, 7-14 and 16-20 have been considered but are most in view of the new ground(s) of rejection.

#### Quotations of U.S. Code Title 35

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim Rejections - 35 USC § 103

7. Claims 1-5, 7-14, 16, 17 and 19 are rejected under 35 U.S.C. 103(a) as being

unpatentable over U.S. Patent No. 5,311,562 ("Palusamy") in view of U.S. Patent No. 6,122,575

("Schmidt") and further in view of Japanese Patent No. 10-255091 ("Abe").

Regarding claim 1

Palusamy teaches a method for predictive recognition of errors in a manufacturing system (see

title and abstract), said method comprising the steps of:

monitoring manufacturing system data in real-time (see col. 7 lines 10-16);

- comparing the monitored data with a stored diagnostic data in real-time to predict

imminent errors likely to occur in the manufacturing system (see col. 4 lines 8-26).

Palusamy does not specifically teach archiving a plurality of error patterns that previously

occurred in the manufacturing system, the archived error patterns created by statistical methods.

However, Schmidt teaches a system that uses previously archived fault patterns data for

comparing to the actual collected diagnostic data (see col. 2 lines 48-53) for purpose of

improving diagnostic precision and providing a recommendation to correct errors (see col. 4

lines 53-56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the

invention to incorporate the fault patterns archiving and comparing of Schmidt with the system

of Palusamy because it would provide for purpose of improving diagnostic precision and

providing a recommendation to correct errors.

Futhermore, Abe teaches an operation state monitoring device that performs and stores

statistic processing at a manufacturing site in real time (see abstract).

Art Unit: 2121

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the creating and storing of statistical data of Abe with the system of Palusamy because it would save the host computer the time needed to perform statistic processing.

### Regarding claim 12

Palusamy teaches a computerized system for predictive recognition of errors in a manufacturing system (see title and abstract), comprising: a mechanism for monitoring manufacturing system data in real-time (see col. 7 lines 10-16); and a mechanism for comparing the monitored data with a stored diagnostic data in real-time to predict imminent errors likely to occur in the manufacturing system (see col. 4 lines 8-26).

Palusamy does not specifically teach a mechanism for archiving a plurality of error patterns that previously occurred in the manufacturing system, the archived error patterns minimized by created by statistical methods; a ring buffer for storing the monitored data.

However, Schmidt teaches a mechanism that uses previously archived fault patterns data for comparing to the actual collected diagnostic data (see col. 2 lines 48-53) for purpose of improving diagnostic precision and providing a recommendation to correct errors (see col. 4 lines 53-56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the fault patterns archiving and comparing of Schmidt with the system of Palusamy because it would provide for purpose of improving diagnostic precision and providing a recommendation to correct errors.

Futhermore, Abe teaches an operation state monitoring device that performs and stores statistic processing at a manufacturing site in real time (see abstract).

It would have been obvious to one of ordinary skill in the art at the time of the invention

to incorporate the creating and storing of statistical data of Abe with the system of Palusamy

because it would save the host computer the time needed to perform statistic processing.

In addition, it is well known in the art that recorded data are stored in circular buffers.

U.S. Patent No. 6,205,419 to Fiedler disclose a number of recording methods which record onto

a single circular buffer and the new advantages of a circular array of smaller buffers (see Col. 2

line 36 to Col. 3 line 22). It would have been obvious to one of ordinary skill in the art to include

the circular buffers to Palusamy system because it would provide for storing continuously

recorded data that overwriting the earliest recorded data with new data in a logical loop.

Regarding claim 16

Palusamy teaches a device for predictive recognition of errors in a manufacturing system (see

title and abstract), comprising: a mechanism for monitoring manufacturing system data in real-

time (see col. 7 lines 10-16); and a mechanism for comparing the monitored data with the

archived error patterns in real-time to predict imminent errors likely to occur in the

manufacturing system (see col. 4 lines 8-26).

Palusamy does not specifically teach a mechanism for archiving a plurality of error

patterns that previously occurred in the manufacturing system, the archived error patterns

compressed by statistical methods or data mining methods; and a mechanism for storing the

monitored data in a ring buffer.

However, Schmidt teaches a mechanism that uses previously archived fault patterns data

for comparing to the actual collected diagnostic data (see col. 2 lines 48-53) for purpose of

Art Unit: 2121

improving diagnostic precision and providing a recommendation to correct errors (see col. 4

lines 53-56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the

invention to incorporate the fault patterns archiving and comparing of Schmidt with the system

of Palusamy because it would provide for purpose of improving diagnostic precision and

providing a recommendation to correct errors.

Futhermore, Abe teaches an operation state monitoring device that performs and stores

statistic processing at a manufacturing site in real time (see abstract). It would have been

obvious to one of ordinary skill in the art at the time of the invention to incorporate the creating

and storing of statistical data of Abe with the system of Palusamy because it would save the host

computer the time needed to perform statistic processing.

In addition, it is well known in the art that recorded data are stored in circular buffers.

U.S. Patent No. 6,205,419 to Fiedler disclose a number of recording methods which record onto

a single circular buffer and the new advantages of a circular array of smaller buffers (see Col. 2

line 36 to Col. 3 line 22). It would have been obvious to one of ordinary skill in the art to include

the circular buffers to Palusamy system because it would provide for storing continuously

recorded data that overwriting the earliest recorded data with new data in a logical loop.

Regarding claim 3

Abe teaches the compressed information for the archived error patterns is achieved by statistical

methods or data mining mechanisms (see abstract).

Regarding claims 4 and 13

Application/Control Number: 10/724,808

Art Unit: 2121

Schmidt teaches the comparing of the data is performed by data mining mechanisms (see col. 6

Page 7

lines 51-56).

Regarding claims 5 and 14

Schmidt teaches the archived error patterns are automatically built by the monitored data using

statistical methods or data mining mechanisms (see col. 6 lines 51-56).

Regarding claim 7

Abe teaches the monitored data are minimized by vertical or horizontal data confinement using

structural information of the manufacturing system (see abstract, monitored data are minimized

by sending to the host for storage the statistical data instead of raw measure data).

Regarding claim 8

Palusamy, Schmidt and Abe do not specifically teach storing the monitored data in a ring-buffer

or circular buffer. However, it is well known in the art that recorded data are stored in circular

buffers. U.S. Patent No. 6,205,419 to Fiedler disclose a number of recording methods which

record onto a single circular buffer and the new advantages of a circular array of smaller buffers

(see Col. 2 line 36 to Col. 3 line 22). It would have been obvious to one of ordinary skill in the

art to include the circular buffers to Palusamy system because it would provide for storing

continuously recorded data that overwriting the earliest recorded data with new data in a logical

loop.

Regarding claim 9

Palusamy teaches the monitored data are automatically read out components of the

manufacturing system (see col. 4 lines 11-20).

Regarding claim 10

Art Unit: 2121

Palusamy teaches triggering corrective actions (see col. 7 lines 10-27).

# Regarding claim 11

Palusamy teaches the method is adapted for discrete or continuous or batch processes (see col. 6 lines 1-7).

# Regarding claim 17

Palusamy teaches the device is a dedicated unit in a manufacturing environment (see col. 1 lines 7-20).

#### Regarding claim 19

Schmidt teaches the device is a field device (see col. 1 lines 9-16, "for use with aircraft engine").

8. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Palusamy in view of Schmidt and further in view of Japanese Patent No. 10-255091 ("Abe") and further in view of U.S. Patent No. 6,487,404 ("Kransmo").

#### Regarding claim 18

Palusamy, Schmidt and Abe do not specifically teach the device is a decentral net component.

However, Kransmo teaches a device for detecting radio network trends in a telecommunications network (see col. 2 lines 43-48) for the purpose of optimizing, maintenance and troubleshooting of the networks (see col. 2 lines 38-40).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the network component of Kransmo with the system of Palusamy because it would provide for the purpose of optimizing, maintenance and troubleshooting of the networks.

Art Unit: 2121

9. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Palusamy in view

of Schmidt and further in view of Japanese Patent No. 10-255091 ("Abe") and further in view of

U.S. Patent No 6,636,842 ("Zambrano").

Regarding claim 20

Palusamy, Schmidt and Abe do not specifically teach the device is a PLC.

However, Zambrano teaches a device uses in an industrial processing environment (which include a PLC) for predicting a future expected state of a process using the behavior model and current process trajectory (see col. 2 lines 51-65) for the purpose of allowing for early detection of and reaction to abnormal process situations (see col. 1 lines 38-40).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate to incorporate the device of Zambrano with the system of Palusamy because it would provide for the purpose of allowing for early detection of and reaction to abnormal process situations.

Art Unit: 2121

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to examiner Thomas Pham; whose telephone number is (571) 272-

3689, Monday - Thursday from 6:30 AM - 5:00 PM EST or contact Supervisor Mr. Anthony

Knight at (571) 272-3687.

Any response to this office action should be mailed to: Commissioner for Patents, P.O.

Box 1450, Alexandria VA 22313-1450. Responses may also be faxed to the official fax

number (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thomas Pham

Patent Examiner

Tompham

May 23, 2006